

Member State of OIML United Kingdom of Great Britain and Northern Ireland OIML Certificate No R76/1992-GB1-07.08

## **OIML CERTIFICATE OF CONFORMITY**

Issuing authority
Name:
Address:
Stanton Avenue
Teddington
Middlesex
TW11 0JZ
United Kingdom
Person responsible:
Paul Dixon
Product Certification Manager
Applicant

Applicant Name: Address:

Avery Berkel Foundry Lane Smethwick West Midlands B66 2LP United Kingdom

Manufacturer of the certified pattern is the Applicant.

Identification of the certified pattern:

## IM Series, Models IM 100 and IM 202 non-automatic weighing instruments Further characteristics see page 2

This certificate attests the conformity of the above-mentioned pattern (represented by the samples identified in the associated test report) with the requirements of the following Recommendation of the International Organization of Legal Metrology (OIML):

OIML:	<b>R76</b>
Edition:	<b>1992</b> (E)
Accuracy class:	III

## OIML Certificate No R76/1992-GB1-07.08

This certificate relates only to the metrological and technical characteristics of the pattern of the instrument concerned, as covered by the relevant OIML International Recommendation.

This certificate does not bestow any form of legal international approval.

The conformity was established by tests described in the associated test reports:

SN:1024having8 pages (NWML)00192having 49 pages (Avery Berkel)00194having 16 pages (Avery Berkel)

and associated pattern evaluation checklist G20125 having 12 pages.

The issuing authority

Mr P R Dixon

Date: 12 September 2007 Ref: T1128/0108 The CIML member

P. t. Mu

Mr P Mason

Characteristics: Mains-powered, Class III, price-computing, stand-alone non-automatic weighing instruments intended for use in the presence of a customer, designated IM Series, Models IM 100 and IM 202.

 $6 \text{ kg} \leq \text{Maximum capacity} \leq 15 \text{ kg}$   $e \geq 1 \text{ g}$   $n \leq 6000 \text{ for Class III instruments with single interval}$  $n \leq 3000 \text{ for Class III instruments per partial weighing range, with a maximum of two partial weighing ranges}$ 

- Vendor's keyboard
- Vendor's backlit LCD display
- Customer's backlit LCD display
- Stainless steel load receptor
- Level indicator
- Integrated printer
- Two-piece plastic housing that contains the load cell
- Tower-mounted double-sided backlit LCD display unit (IM 202)

Important note: Apart from the mention of the certificate's reference number and the name of the OIML Member State in which the certificate was issued, partial quotation of the certificate or of the associated test report is not permitted, though they may be reproduced in full.