

OIML Certificate of Conformity

OIML Member State The Netherlands Number R76/2006-NL1-16.16 Project number 15200739 Page 1 of 2

Issuing authority	NMi Certin B.V. Person responsible: C. Oos	+ + + + + + + + + + + + + + + + + + +			
Applicant and Manufacturer	Shanghai Teraoka Electror Tinglin Industry Developm Jin Shan County Shanghai 201505 P.R. of China				
Identification of the certified type	A Non-automatic weigh Type	ing instrument : RM-580	+ + + + 0 ⁺ + + +		
Characteristics	See next page				
identified in the OIML International Organiza This Certificate relates	the conformity of the above Test Report) with the requir tion of Legal Metrology (OI OIML R 76 - Edition 2006 only to the metrological and	ements of the followin ML): for accuracy class (11) d technical characterist	ng Recommer	ndation of the e of measuring	
	the relevant OIML Internati ot bestow any form of legal			fied.	
OIML Member State in	from the mention of the Ce which the Certificate was is est Report(s) is not permitted	sued, partial quotation	n of the Certif	ficate and of	
Issuing Authority	NMi Certin B.V., OIML Is 26 February 2016	suing Authority NL1	+ + + + + + + + + + + +		
+ + + + + + + + + + + + + + + + + + +	C. Øosterman Head Certification Board				
NMi Certin B.V. Hugo de Grootplein 1 3314 EG Dordrecht the Netherlands T +31 78 6332332 certin@nmi.nl www.nmi.nl	This document is issued under the provision that no liability is accepted and that the applicant shall indemnify third-party liability. The notification of NMi Certin B.V. as Issuing Authority can be verified at www.oiml.org	Parties concerned can lodge objection against this decision, within six weeks after the date of submission, to the general manager of NMi (see www.nmi.nl).	DIML	INSPECTION RVA 122	



OIML Certificate of Conformity

OIML Member State The Netherlands Number R76/2006-NL1-16.16 Project number 15200739 Page 2 of 2

OIML Test F No. R76 No. R76 No. R76 No. R76 No. R76 No. R76 No. R76 No. R76 No. NM No. NM No. NM No. NM	Reports: (1992-NL1-04) (1992-NL1-04) (1992-NL1-04) (1992-NL1-06) (1992-NL1-06) (1992-NL1-08) (1992-NL1-08) (1992-NL1-09) (1992-NL1-09) (1992-NL1-09) (1992-NL1-09) (1992-NL1-09) (1992-NL1-09) (1992-NL1-09) (1992-NL1-09) (1992-NL1-09) (1992-NL1-09) (1992-NL1-06) (1992-NL1-0	.01A dated 5 Janu .01B dated 5 Janu .26 dated 8 Nover .34A dated 13 Sep .34B dated 12 Sep .34B dated 12 Sep .34 dated 4 Septe .32A dated 7 Janu .06 dated 22 Mard 1 dated 28 Septen 1 dated 6 Decemb 1 dated 21 Octobe 1 dated 10 Octobe 1 dated 10 Octobe	ults of tests and examina- uary 2004 that includes 5 ary 2004 that includes 1 mber 2004 that includes 1 mber 2004 that includes otember 2006 that includes otember 2008 that includes 2 oth 2010 that includes 2 ch 2010 that includes 59 mber 2012 that includes 59 mber 2012 that includes 11 er 2013 that includes 21 er 2014 that includes 37 er 2014 that includes 37 er 2014 that includes 35	6 pages; 2 pages; 16 pages; des 42 pages; des 35 pages; 24 pages; 28 pages; pages; 23 pages; pages; pages; pages; pages; pages;		
	+ + + +	non-automatic v	weighing instrument:	· · · · · · · · · ·	*****	
Accuracy class						
Maximum capacity		+ + + + + 3 kg \leq Max \leq 30 kg + + + + +				
Verification scale interval		+ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$				
Weighing ranges		Single interval Multi-interval				
Maximum number of scale intervals		$n \le 6000$ divisions (single interval, with A/D board STB-2236), or $n \le 3000$ divisions (per partial weighing range)				
Maximum partial weighing ranges		2				
Tare		* * * * * * *		uments with one weighir r multi-interval instrume		
Temperatu	re range +	* * * * * *	+ + + + + + + +	-10 °C / +40 °C + + +	* * * * *	
Power supply voltage		+ + + + + 100 – 240 V AC 50/60 Hz + + + + +				
Application		Integrated POS software Intended to be used for direct sales to the public				
Software id	lentification	Filenames	Version	Checksum	Remarks	
Scale software		libwm.jar	1.1.0.release_build:59 1.1.0.release_build:51	00085704 00077148	* * * * *	
		libscale.jar libprice.jar	1.1.0.release_build:26 1.1.0.release_build:5	00064855	one + + +	
+ + + +	Windows	libscale.dll	1	00459169	checksum calculated	
POS software	• + + + + • + + + +	libscale.so	1 + + + + + + + + + + + + + + + + + + +	00747997	over two files	
	Linux	Rm5800drv.so	1.0b145	8293B120200D92BF5F8 6EC2A4D099F9E	<u>*</u> * * * * *	