

**OIML Member State**  
The Netherlands

Number R137/2012-NL1-15.02  
Project number 13200784  
Page 1 of 2

Issuing authority	NMi Certin B.V. Person responsible: C. Oosterman
Applicant and manufacturer	GoldCard High Tech Co., Ltd. No 158, Jinqiao Street, Economic and Technology development Zone Hangzhou City P.R. China
Identification of the certified type	A <b>diaphragm gas meter</b> Type: JK/G2.5 & JK/G1.6
Characteristics	See page 2

This Certificate attests the conformity of the above identified type (represented by the sample(s) identified in the OIML Test Report) with the requirements of the following Recommendation of the International Organization of Legal Metrology (OIML):


**R 137-1 (2012) "Gas meters"**

Accuracy class 1,5

This Certificate relates only to the metrological and technical characteristics of the type of measuring instrument covered by the relevant OIML International Recommendation identified above.  
This Certificate does not bestow any form of legal international approval.

*Important note:* Apart from the mention of the Certificate's reference number and the name of the OIML Member State in which the Certificate was issued, partial quotation of the Certificate and of the associated OIML Type Evaluation Report(s) is not permitted, although either may be reproduced in full.

Issuing Authority **NMi Certin B.V., OIML Issuing Authority NL1**  
7 April 2015



C. Oosterman  
Head Certification Board

NMi Certin B.V.  
Hugo de Grootplein 1  
3314 EG Dordrecht  
the Netherlands  
T +31 78 6332332  
certin@nmi.nl  
www.nmi.nl

This document is issued under the provision that no liability is accepted and that the applicant shall indemnify third-party liability.

The notification of NMi Certin B.V. as Issuing Authority can be verified at [www.oiml.org](http://www.oiml.org)

Parties concerned can lodge objection against this decision, within six weeks after the date of submission, to the general manager of NMI (see [www.nmi.nl](http://www.nmi.nl)).



The conformity was established by the results of tests and examinations provided in the associated OIML Type Evaluation Report:

- No. NMI-13200784-01 dated 12 March 2015 that includes 35 pages.

**Characteristics of the gas meter:**

Table 1 gives the general characteristics of the meter type. Table 2 and 3 specify in detail the essential characteristics and verification scale interval.

Table 1: General characteristics	
Destined for the measurement of	Gas volume
Mechanical class	M2
Electromagnetic class	E1
Ambient temperature range	-25 °C / +55 °C
Gas temperature range	-25 °C / +55 °C
Orientation	Horizontal
Flow direction	Uni-directional

Type	Cyclic volume [dm <sup>3</sup> ]	Qmax [m <sup>3</sup> /h]	Qt [m <sup>3</sup> /h]	Qmin [m <sup>3</sup> /h]
JK/G2.5	0,9	4	0,4	0,016
JK/G1.6	0,9	2,5	0,25	0,016

Remarks regarding Table 2:

1. The working pressure range for all "diaphragm gas meters" is atmospheric up to and including 0,15 bar(g).

Type	number of drums		control-element [m <sup>3</sup> ]
	before the comma	behind the comma	
JK/G2.5	5	3	0,0002
JK/G1.6	5	3	0,0002