



Page number	Document clause		Proposals	Comments																																																						
24,25,26	G3	Editorial	Amend headers in clause G “ Damp heat, steady state tests” to “Damp heat, steady state (non-condensing)”	To maintain header consistency.																																																						
18, 22	G1.1, G1.2, G1.3, G1.4, G.1.5	Editorial	In static temperatures, replace this parameter block: <table><tr><td></td><td>At start</td><td>After 3 h</td><td>At end</td><td></td></tr><tr><td>Temp:</td><td></td><td></td><td></td><td>°C</td></tr><tr><td>Rel. h:</td><td></td><td></td><td></td><td>%</td></tr><tr><td>Date:</td><td></td><td></td><td></td><td>yyyy-mm-dd</td></tr><tr><td>Time:</td><td></td><td></td><td></td><td>hh:mm:ss</td></tr><tr><td>Bar.Pres:</td><td></td><td></td><td></td><td>hPa</td></tr></table> with: <table><tr><td></td><td>At start</td><td>At end</td><td></td></tr><tr><td>Temp:</td><td></td><td></td><td>°C</td></tr><tr><td>Rel. h:</td><td></td><td></td><td>%</td></tr><tr><td>Date:</td><td></td><td></td><td>yyyy-mm-dd</td></tr><tr><td>Time:</td><td></td><td></td><td>hh:mm:ss</td></tr><tr><td>Bar. Pres:</td><td></td><td></td><td>hPa</td></tr></table>		At start	After 3 h	At end		Temp:				°C	Rel. h:				%	Date:				yyyy-mm-dd	Time:				hh:mm:ss	Bar.Pres:				hPa		At start	At end		Temp:			°C	Rel. h:			%	Date:			yyyy-mm-dd	Time:			hh:mm:ss	Bar. Pres:			hPa	To maintain consistency.
	At start	After 3 h	At end																																																							
Temp:				°C																																																						
Rel. h:				%																																																						
Date:				yyyy-mm-dd																																																						
Time:				hh:mm:ss																																																						
Bar.Pres:				hPa																																																						
	At start	At end																																																								
Temp:			°C																																																							
Rel. h:			%																																																							
Date:			yyyy-mm-dd																																																							
Time:			hh:mm:ss																																																							
Bar. Pres:			hPa																																																							
24	G.3.1, G.3.2, G.3.3	Editorial	In damp heat tests parameter block change the header “At max” to “After 2 hours” Delete the “Bar. Pres” field from all the parameter blocks in clause G.	Correction.																																																						
27	G.4	Editorial	In mains or battery supply parameter box, remove the blackout (or shading) from the “at end” date field.	To main consistency with the “time” block.																																																						

  National Measurement Office			UNITED KINGDOM comments on: DR 106-2 Automatic Rail-weighbridges - Part _2 Report Format. Date: 14 May 2012	
Page number	Document clause		Proposals	Comments
27, 28, 30, 32	G4, H2, H3	Editorial	Amend: “Mains or battery power supply voltage variations” to “ Mains voltage supply or battery voltage supply ” Also change: “AC mains power supply” to “ AC mains voltage supply ” “DC mains power supply” to “ DC mains voltage supply ” “Battery power supply (DC)” to “ Battery voltage supply ”	To maintain consistency in the document.
34	H.3.2	Editorial	Amend header clauses: “H.3.2 Electrical surges on power supply and on signal and communication lines H.3.2.1 Any other kind of power supply” to “ H.3 Electrical surges on power supply and on signal and communication lines (continued) H.3.2 Any other kind of power supply”	To maintain consistency
48, 49, 50, 51, 52, 53, 57, 60	J,K,L	Editorial	Change “d _s ” to “ d ” in the text (smaller than d _s)”	To maintain consistency and clarity.

Member State/ Organisation:
Morayo Awosola
On behalf of Peter Mason,
CIML Member
United Kingdom

Date: 14 May 2012